


QUICK REFERENCE TABLE INTERMEDIATE BROWN ONION

	Relative maturity *	Bulb colour *	Bulb shape *	Average bulb size *	Neck size*	Bolting reaction*	Storage ability* (months)		Soil		Propagation		Disease reaction #	action	
Variety							Ambient conditions	Controlled conditions	Sandy	Heavy	Direct sow	Transplant	Sets	Pink root	Comments
Australian Brown	Late	Brown	Globe	Medium - large	Thin	Very slow	5	7 - 8	х	х	Х	Х			Excellent tight brown outer scales. Excellent storage ability
Capricorn (Experimental)	Very early to early	Brown	Globe	Medium - large	Very thin	Very slow	5	7 - 8	X	x	х	x			Very early maturing onion. Exceptional quality and yield potential. Very good heat tolerance
Hamlotte P8.R	Very early - early	Straw- brown	Globe	Medium - large	Very thin	Very slow	5	7 - 8	X	x	х	х			Very early to early maturing Pukekohe onion. Exceptional quality for export
Wellington	Early - medium	Straw- brown	Globe	Medium - large	Very thin	Very slow	5	7 - 8	Х	х	Х	х			Early to medium maturing Pukekohe-onion. Exceptional quality for export

^{*} Characteristics given are affected by production methods such as soil type, nutrition, planting population, planting date and climatic conditions. Please read disclaimer.

WARNING: VARIETY PROTECTED UNDER PLANT BREEDERS RIGHTS. UNAUTHORIZED MULTIPLICATION AND/OR MARKETING OF SEED PROHIBITED.



Experimental: This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.


Sakata Seed Southern Africa (Pty) Ltd. Tel. +27 11 548 2800 Copyright: (not to be reproduced) Fax. +27 11 548 2820 Email. info.saf@sakata.eu
Website. www.sakata.com





QUICK REFERENCE TABLE INTERMEDIATE BROWN ONION

** Onion shape key:

















3 High globe

4 Globe

5 Flat globe

6 Top

7 Granex

8 Thick flat

9 Flat

Disease reaction key:

IR: Intermediate resistance HR: High resistance

Abbreviation	Common disease name	Pathogen name
Pt	Pink root	Pyrenochaeta terrestris

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, and the environment, including management, we give no warranty express or implied, for the performance of crops relative to the information given nor do we accept any liability for any loss, direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

Resistance: is the ability of a plant variety to restrict the growth and development of a specified pest or pathogen pressure. Resistant varieties under similar environmental conditions and pest or pathogen pressure. Resistant varieties may exhibit some disease symptoms or damage under heavy pest or pathogen pressure (HR = High resistance, IR = Intermediate resistance).

Experimental: This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Technical Bulletin.

Email. info.saf@sakata.eu
Website. www.sakata.com

