

Sowing Guideline: Carro North West

VARIETY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Nantes												
Sweet Candle												
Samantha												
Javelin												
Nativa*												
Tentacion*												
Imperator												
Columbia												

Factors causing physiological disorders in carrots

Suggested sowing time: Sowing time applies to the farm location

- Wrong sowing time
- Cold temperatures, especially below 7°C
- Excessive fertilisation of seedlings
- Cold grown seedlings
- Oversized seedlings at transplant
- Difference in temperatures between seedling nursery and farm
- Growth checks caused by heat, drought, water logging and disease
- Diurnal temperature swings

Disclaimer: This information is based on our observations and/or information from other sources. As crop performance depends on the interaction between the genetic potential of the seed, its physiological direct or consequential, that may arise from whatsoever cause. Please read the Sakata Seed Southern Africa (Pty) Ltd Conditions of Sale before ordering seed.

Experimental: This variety does not appear on the current South African Variety list, but has been submitted for registration.

Recent version: Kindly contact Sakata or Area Representative for the most recent version of this Sowing Guide.

Ref: Car Sow NW: 31-07-14

Sakata Seed Southern Africa (Pty) Ltd.

Copyright: (not to be reproduced)

Email. info.saf@sakata.eu

Tel. +27 11 548 2800

Fax. +27 11 548 2820

Website. www.sakata.com